


DOCSIS Performance measurement in node with severe Ingress.

CAMS with Dynamic Ingress Blocking (dlb) deployed.

Comparison of quality measurements with Ingress/Noise reduction activated versus deactivated




Proxilliant AB Augustendalstorget 3, P.O Box 1178. SE-13127 Nacka Strand Sweden Phone: +46 8 5567 9980 Fax: +46 8 5567 9985 Mail: info@proxilliant.com Web: www.proxilliant.com



DOCSIS Performance measurement in node with severe Ingress.

CAMS with Dynamic Ingress Blocking (dlb) deployed.

Comparison of DOCSIS data measurements with Ingress/Noise reduction activated versus deactivated




Proxilliant AB Augustendalstorget 3, P.O Box 1178. SE-13127 Nacka Strand Sweden Phone: +46 8 5567 9980 Fax: +46 8 5567 9985 Mail: info@proxilliant.com Web: www.proxilliant.com



DOCSIS Performance measurement in node with severe Ingress.

CAMS with Dynamic Ingress Blocking (dlb) deployed.

Locating the Ingress Source with Ingress/Noise reduction activated versus deactivated



Proxilliant AB Augustendalstorget 3, P.O Box 1178. SE-13127 Nacka Strand Sweden Phone: +46 8 5567 9980 Fax: +46 8 5567 9985 Mail: info@proxilliant.com Web: www.proxilliant.com